created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 29057

CLASSIFICATION: 09 68 13 Tile Carpeting

PRODUCT DESCRIPTION: Modular carpet tile offers multiple possibilities of installation to create the residential and commercial textile floor covering. It can be produced with four yarn options (nylon, polypropylene, polyester and ECONYL®) and two options for secondary backing (with recycled content or not).

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Considered in 18 of 18 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

⊙ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PVC - COMPONENT #5 (ALTERNATIVE) [CALCIUM CARBONATE BM-3 ASPHALT LT-1 | CAN *POTASSIUM OXIDE* BM-2 *SODIUM OXIDE* BM-2 LIME BM-2 MAGNESIUM OXIDE BM-3dg | CAN FERRIC OXIDE BM-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 ALUMINUM OXIDE BM-2 | RES QUARTZ BM-1 | CAN | SC:GEOMAT:PVC-COMPONENT#5 [SC:LIMESTONE Not Screened SC:QUARTZ Not Screened] PVC -COMPONENT #2 [BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg] SC:GEOMAT:LATEX-COMPONENT#2 [SC:LIMESTONE Not Screened SC:QUARTZ Not Screened] PVC - COMPONENT #2 - ALTERNATIVE [BIS(2-ETHYLHEXYL) CYCLOHEXANE-1,4-DICARBOXYLATE NoGS PVC - COMPONENT #1 [VINYL CHLORIDE-VINYL ACETATE COPOLYMERS LT-UNK] LATEX - COMPONENT #1 [ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK WATER BM-4] PVC -**COMPONENT #7 [VINYL CHLORIDE VINYL ACETATE COPOLYMER** LT-UNK] PRIMARY BACKING [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK] GLASS FIBER [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS] LATEX - COMPONENT #4 [WATER BM-4] PVC - COMPONENT #3 [UNDISCLOSED NoGS] LATEX - COMPONENT #3 PVC - COMPONENT #4 [UNDISCLOSED LT-UNK] NYLON 6 YARN [UNDISCLOSED LT-UNK] NYLON 6 ECONYL YARN RECYCLED [UNDISCLOSED LT-UNK] POLYESTER YARN [UNDISCLOSED NoGS] POLYPROPYLENE YARN POLYPROPYLENE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL | SKI | AQU UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Venture Carpets include a many options of materials. It was chosen in this HPD to group carpets with four yarn options (nylon, polypropylene, polyester and ECONYL®) and two options for secondary backing (with recycled content or not). Ranges represent those variations. More details about how residuals and impurities were considered are available in the appropriate sections. Special Conditions materials are present in the product: reaction polymer products. Guidelines for reporting Special Conditions materials are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines get published. The exception for proprietary ingredient due diligence as stated in the HPD Content Inventory Requirements document has been used for this HPD. A proprietary substance present in the final product at or below 0.20 wt.% was not declared as the information was not obtained from the supplier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: CRI Green Label Plus - Carpets VOC emissions: CRI Green Label Plus - Carpets

LCA: Environmental Product Declaration (EPD) published by CSA

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes

No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-03-30 PUBLISHED DATE: 2022-07-05

EXPIRY DATE: 2025-03-30



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PVC - COMPONENT #5 (ALTERNATIVE) %: 39.3000 - 45.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: There are no Residuals and impurities are listed.

OTHER MATERIAL NOTES: Recycled mineral filler. Mixture of minerals. It is 100% post-consumer recycled content.

CALCIUM CARBONATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:59

%: 80.0000 - 100.0000 GS: BM-3 RC: PostC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

TIAZAND TIFE AGENCT AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material is made of 100% post-consumer recycled content.

ASPHALT ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:03 %: 1.0000 - 4.0000 GS: LT-1 RC: PostC NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification IARC CAN Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources CAN CA EPA - Prop 65 Carcinogen **IARC** CAN Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: The material is made from 100% post-consumer recycled content.

POTASSIUM OXIDE ID: 12136-45-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:08

%: Impurity/Residual

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SODIUM OXIDE

ID: 1313-59-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:08

%: Impurity/Residual GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This impurity is from the source material.

LIME ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:07

%: 0.0000 - 43.0000 GS: BM-2 RC: PostC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material is made of 100% post-consumer recycled content.

MAGNESIUM OXIDE ID: 1309-48-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:07

%: 0.0000 - 8.0000 GS: **BM-3dg** RC: **PostC** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 4 - Non-genotoxic carcinogen with

low risk under MAK/BAT levels

SUBSTANCE NOTES: The material is 100% post-consumer recycled content.

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:06

%: Impurity/Residual GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects

but not sufficient for classification

SUBSTANCE NOTES: This impurity is from the source material.

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:06

%: Impurity/Residual GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This impurity is from the source material.

ALUMINUM OXIDE ID: 1344-28-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-30 14:03:05			
%: Impurity/Residual	GS: BM-2	RC: None NANO: No SUBSTANCE ROLE: Impurity/Residu	ıal		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			

SUBSTANCE NOTES: This impurity is from the source material.

QUARTZ

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:05

%: Impurity/Residual

GS: BM-1

RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

70. Impurity/nesidual	GS. DIVI-1 NO.	None NANO. No SOBSTANCE HOLL. Impurity/nesidual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1

SUBSTANCE NOTES: This impurity is from the source material.

SC:GEOMAT:PVC-COMPONENT#5 %: 39.3000 - 45.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported silica quartz (CAS# 14808-60-7) as an impurity. It represents 3% of the material typical mass.

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- The material is used as mineral filler and pigment

ID: 14808-60-7

SC:LIMESTONE ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 97.0000 - 100.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20 Origin: Province of Quebec, Canada

Typical Composition: 97-100% Limestone (1317-65-3)

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials. The substance also serves as pigment. Limestone is a naturally occurring substance. It may contain impurities such as quartz (3

wt.%) of some metals (less 0.1 wt.%)

SC:QUARTZ ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: Impurity/Residual GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20 Origin: Province of Quebec, Canada

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological

materials.

PVC - COMPONENT #2 %: 9.5000 - 10.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Manufacturer has indicated that there are no impurities or residues. All residuals or impurities are present below 1,000 ppm.

OTHER MATERIAL NOTES: Plasticizer

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:55

%: 99.0000 - 100.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SC:GEOMAT:LATEX-COMPONENT#2 %: 8.5000 - 10.8000

SUBSTANCE NOTES: See other material notes

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported silica quartz (CAS# 14808-60-7) as an impurity. It represents 3% of the material typical mass.

OTHER MATERIAL NOTES: SpecialConditionApplied:GeologicalMaterial --- Mineral filler and pigment

SC:LIMESTONE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 97.0000 - 100.0000

GS: Not Screened

RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20 Origin: Province of Quebec, Canada

Typical Composition: 97-100% Limestone (1317-65-3)

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials. The substance also serves as pigment. Limestone is a naturally occurring substance. It may contain impurities such as quartz (3 wt.%) of some metals (less 0.1 wt.%)

SC:QUARTZ ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: Impurity/Residual GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20 Origin: Province of Quebec, Canada

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological

materials.

PVC - COMPONENT #2 - ALTERNATIVE %

%: 8.4000 - 9.3000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Plasticizer used in PVC composition.

BIS(2-ETHYLHEXYL) CYCLOHEXANE-1,4-DICARBOXYLATE

ID: 84731-70-4

MATERIAL TYPE: Polymeric Material

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:56

%: 98,0000 - 100,0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other materials notes.

PVC - COMPONENT #1 %: 5.9000 - 6.8000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported residuals below the diclosure threshold, such as, Vinyl chloride monomer (CAS 75-01-04) < 1ppm

OTHER MATERIAL NOTES: PVC used in modular carpet tile backing. The chemical identity of the Proprietary Surfactant present at 0-0.2 wt.% in the final product is unknown. According to the material safety data sheet, the unreacted material may cause acute toxicity, skin irritation, eye irritation or respiratory irritation. Furthermore, 9003-22-9 polyvinyl chloride-polyvinyl acetate copolymer may be carcinogenic (classified by IARC).

VINYL CHLORIDE-VINYL ACETATE COPOLYMERS

ID: 9003-22-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:56

%: 97.0000 - 100.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

LATEX - COMPONENT #1 %: 4.2000 - 5.4000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported residuals below the disclosure threshold, such as, vinyl acetate (CAS 108-05-4) < 60 ppm and formaldehyde (CAS 50-00-0) < 20 ppm.

OTHER MATERIAL NOTES: Emulsion that has been designed for use in textile and carpet coatings applications.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:01

%: 62.0000 - 64.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:01

%: 35.0000 - 37.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

PVC - COMPONENT #7 %: 3.1000 - 3.6000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Material used in PVC formulation

VINYL CHLORIDE VINYL ACETATE COPOLYMER

ID: 9003-22-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:54

%: 99.9000 - 100.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

PRIMARY BACKING %: 2.9500 - 3.7200

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported no residuals or impurities within the disclosure threshold for color and lubricant. However, the color and lubricant have not been listed because they are below the disclosure threshold of 1,000 ppm.

OTHER MATERIAL NOTES: First base layer of carpet. The polyester contains 56% of pre-consumer recycled content and 15% of post-consumer recycled content.

POLYETHYLENE TEREPHTHALATE (PET)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:00

%: 78.0000 - 100.0000 GS: LT-UNK RC: Both NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

GLASS FIBER %: 1.5000 - 2.0000

SUBSTANCE NOTES: See other material notes

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Fiberglass layer improves dimmensional stability. Material composition is confidential.

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2022-03-30 14:03:00
%: 70.0000 - 90.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subst	tance is undisclosed as it is proprietary.			

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHO	DD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-03-30 14:03:02
%: 5.0000 - 20.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This s	ubstance is undisclosed as it is proprietary.			

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-03-30 14:03:02
%: 3.7000 - 14.7000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subs	stance is undisclosed as it is proprietary.			

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-03-30 14:03:03
%: 1.2000 - 5.4000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subs	stance is undisclosed as it is proprietary.			

LATEX - COMPONENT #4 %: 0.7000 - 0.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: Information from city of Bellevile not available.

OTHER MATERIAL NOTES: Solvent

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:54

%: 100.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See other material notes

PVC - COMPONENT #3 %: 0.2000 - 0.3000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Manufacturer has indicated that there are no impurities nor residuals.

OTHER MATERIAL NOTES: Solvent-free wetting and dispersing additive for PVC and thermoplastics. Material composition is confidential.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:55

%: 99.0000 - 100.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

LATEX - COMPONENT #3 %: 0.2000 - 0.3000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Soap / surfactantAll substances in this material are below the reportable threshold.

PVC - COMPONENT #4 %: 0.2000 - 0.3000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Material composition is confidential

UNDISCLOSED				ID: U	J ndisclosed
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-03-30 14:02:59	
%: 89.0000 - 90.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: \$	Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS		
None found			No warnings	found on HPD Priority H	azard Lists
SUBSTANCE NOTES: This sub	stance is undisclosed as it is proprietary.				

NYLON 6 YARN %: 0.0000 - 20.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals are below the report threshold and there are no impurities present.

OTHER MATERIAL NOTES: This HPD covers four (4) yarn option: Nylon, Recycled Nylon, Polyester and Polypropylene yarn. Weigth percent interval is used to cover carpets with the various yarn types and variation in carpet densities.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:57
%: 95.0000 - 100.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to keep exact recipe confidential. Furthermore, this substance is undisclosed as it is proprietary.

NYLON 6 ECONYL YARN RECYCLED %: 0.0000 - 18.4000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals are below the declaration threshold and impurities are not present.

OTHER MATERIAL NOTES: This HPD covers four (4) yarn option: Nylon, Recycled Nylon, Polyester and Polypropylene yarn. Weigth percent interval is used to cover carpets with the various yarn types and variation in carpet densities.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:57

%: 95.0000 - 100.0000 GS: LT-UNK RC: Both NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: 100% of the polymer is made from recycled content. Weight percent interval is used to keep exact recipe confidential. Furthermore, this substance is undisclosed as it is proprietary.

POLYESTER YARN %: 0.0000 - 19.3000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: This HPD covers four (4) yarn option: Nylon, Recycled Nylon, Polyester and Polypropylene yarn. Weigth percent interval is used to cover carpets with the various yarn types and variation in carpet densities.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:58

%: 95.0000 - 100.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to keep exact recipe confidential. Furthermore, this substance is undisclosed as it is proprietary.

POLYPROPYLENE YARN %: 0.0000 - 18.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: This HPD covers four (4) yarn option: Nylon, Recycled Nylon, Polyester and Polypropylene yarn. Weigth percent interval is used to cover carpets with the various yarn types and variation in carpet densities.

POLYPROPYLENE ID: 9003-07-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:02:58

%: 90.0000 - 99.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact recipe.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:04

%: 0.3000 - 0.7000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-15 13:31:08

GS: LT-P1 RC	: None NANO: No SUBSTANCE ROLE: Heat or UV stabilizer
AGENCY AND LIST TITLES	WARNINGS
German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
EU - GHS (H-Statements) Annex 6 Table 3-	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EU - GHS (H-Statements) Annex 6 Table 3-	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
	AGENCY AND LIST TITLES German FEA - Substances Hazardous to

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:12

%: 0.0000 - 6.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:10

%: 0.0000 - 0.8000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:12

undisclosed as it is proprietary.

UNDISCLOSED

ID: Undisclosed

%: 0.0000 - 7.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:11 %: 0.0000 - 2.5000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CAN **IARC** Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-15 13:31:09

%: 0.0000 - 7.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:13

%: 0.0000 - 0.7000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:13

%: 0.0000 - 0.8000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:14

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

GS: LT-P1

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAR	D SCR	EENING DATE:	2022-03-30 14:03:14
%: 0.0000 - 1.5000	GS: LT-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - in from occupational sources		
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic ef but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	;	Potential Endocrine Disruptor		
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinoger risk under MAK/BAT levels		
CAN	EU - GHS (H-Statements) Annex 6 Tab	le 3-1	H351 Categ	•	causing cancer [Carcinogenicity -

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:15

%: 0.0000 - 0.6000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

%: 0.0000 - 0.7000

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:15

%: 0.0000 - 0.6000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:16

%: 0.0000 - 2.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-30 14:03:16

%: 0.0000 - 1.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval is used to cover exact product recipe and multiple carpet colors. Furthermore, this substance is undisclosed as it is proprietary.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party ISSUE DATE: 2011-08- EXPIRY DATE: 2023- CERTIFIER OR LAB: The Carpet APPLICABLE FACILITIES: Saint-Georges, QC G5Y 6R6 25 06-30 and Rug Institue,Inc.

CERTIFICATE URL: https://services.carpet-

rug.org/api/v2/GLPCertificate/3315

CERTIFICATION AND COMPLIANCE NOTES: Product: 17X Pre-dyed Nylon with PVC Backing Certification number: :GLP3315 This product complies with CDPH Standard Method Section 01350 versions 1.2 Private Office Scenario and School Classroom Scenario. Private Office Range of Total VOCs: 0.5 mg/m3 or less. School Classroom Range of Total VOCs: 0.5 mg/m3 or less.

VOC EMISSIONS CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-04- EXPIRY DATE: 2023- CERTIFIER OR LAB: The Carpet APPLICABLE FACILITIES: Saint-Georges, QC G5Y 6R6

28 06-30 and Rug Institute

CERTIFICATE URL: https://services.carpet-

rug.org/api/v2/GLPCertificate/0006

CERTIFICATION AND COMPLIANCE NOTES: Product: 31X Pre-dyed Polypropylene with PVC Backing Certification number: :GLP0006 This product complies with CDPH Standard Method Section 01350 versions 1.2 Private Office Scenario and School Classroom Scenario. Private Office Range of Total VOCs: 0.5 mg/m3 or less.

LCA Environmental Product Declaration (EPD) published by CSA

CERTIFYING PARTY: Third Party ISSUE DATE: 2018-11- EXPIRY DATE: 2023- CERTIFIER OR LAB: Athena APPLICABLE FACILITIES: Facility in Belleville (Ontario), 19 11-18 Sustainable Materials Institute

Canada.

CERTIFICATE URL:

https://www.csaregistries.ca/epd/epd_label_e.cfm?

No=860

CERTIFICATION AND COMPLIANCE NOTES: The Life Cycle Assessment (LCA) and Environmental Product Declaration (EPD) were prepared by Vertima. The EPD was third party verified by the Athena Sustainable Materials Institute and published by CSA with registration number 4029-8012.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACRYLIC BINDER HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

An acrylilc binder, such as the Ultrabond EC0810, is required to install the carpet. Venture recommends floowing the installation procedures form the Carpet and Rug Institute.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Venture Carpets

ADDRESS: 700, 120e Street

Saint-Georges Québec G5Y 6R6, Canada

WEBSITE: www.venturecarpets.com

CONTACT NAME: Richard Duval

TITLE: President PHONE: 418-227-5955

EMAIL: richard.duval@venturecarpets.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.